




RESILIENCE
HEALING HEARTS
POST TRAUMATIC STRESS DISORDER

MARY NEUBAUER MSW, CPS



SURVIVAL
1984

(ACE STUDY 1995-1997)



Demonstrate a visual integration of healing hearts through a creative process.

Identify three therapeutic models used to treat Post Traumatic Stress Disorder.

Define Resilience.



EXPOSURE THERAPY

In Vivo

Imaginal

Interoceptive

The slide features a light gray background with several realistic water droplets of varying sizes scattered in the corners. The text is centered in a black, serif font.

IMAGERY RE-SCRIPTING

Who use's it?

When is it used?

How does it work?

The slide features a light gray background with several realistic water droplets of varying sizes scattered in the corners. The text is centered in a black, serif font.

DANCE/MOVEMENT PSYCHOTHERAPY

Works With The Whole Person

Integrating Movement

Creative Process

Verbal Communication



DANCE/MOVEMENT THERAPY
<https://www.youtube.com/watch?v=36o4qsttj7s&t=46s>




INTERNAL FAMILY SYSTEMS

Exiles

Managers

Firefighters

The background of the slide is a light gray gradient with several realistic water droplets of various sizes scattered across the top and bottom edges. The droplets have highlights and shadows, giving them a three-dimensional appearance.

Mary Neubauer
mary@mhawisconsin.org
414-336-7965(o) or 414-807-6505(c)